

All Fields marked with * are mandatory.

Change Request #:	126
Assigned OGC Document #:	10-203
Name:	*Panagiotis (Peter) A. Vretanos
Organization:	*CubeWerx Inc.
Email:	*pvretano@cubewerx.com
Document Name/Version:	*Filter Encoding 2.0 Encoding Standard / 2.0
OGC Project Document:	*09-026r1
If this is a revision of a previous submission and you have a Change Request Number, then check here: ☐ Enter the CR number here: Enter the Revision Number that you are revising here:	
Title: 	*Clarify the semantics for testing NULL geometries
Source: 	*Oracle Corp.
Work item code: 	
Category: 	* A (corresponds to a correction in an earlier release)

Reason for change: ⓘ	* It is unclear how the spatial operators should handle the case where one of the geometries being tested is NULL.
Summary of change: ⓘ	* There should be a clear statement in the specification concerning how NULL geometries should be handled. Since the convention seems to be that a NULL geometry is disjoint from other geometries, the FES should declare that. A statement like "If a spatial operator in a filter expression is testing a pair of geometries and one is null, the results should be FALSE (i.e. the two geometries are disjoint)."
Consequences if not approved: ⓘ	Inconsistent handling of NULL geometries.
Clauses affected: ⓘ	* Clause 7.8
Additional Documents affected: ⓘ	
Supporting Documentation: ⓘ	
Comments: ⓘ	
Status: ⓘ	Verified
Assigned To: ⓘ	

Disposition: 

Referred and Posted